



BY SWISS KRONO GROUP



EXQUISIT 1

LAMINATE FLOORING



www.blauer-engel.de/uz176



PANEL 1380 x 193 x 8 mm | Box 8 panels | 2.131 m²



ABRASION CLASS
COMMERCIAL 32 / AC

4

Web: fixitdesign.ae

Phone: +971554722980

Email: info@fixitdesign.ae





Tuscany Walnut - D 3070 ER





Natural Pine - D 2774 MX





Prestige Oak Nature - D 4166 ER





Rosemont Oak - D 3665 AF





Hella Oak - D 4754 UL





Petterson Oak Beige - D 4763 ER





EXQUISIT 1

LAMINATE FLOORING

| TEST | CHARACTERISTICS | TEST METHOD |
|--|---|-----------------------------|
| Formaldehyde emission | < 0.05 ppm | EN 717-1 |
| Surface stain resistance | Grade 5, no visible changes to surface | EN 438-2.15 |
| Lightfastness | ≥ Level 6 Blue Wool Scale ≥ Level 4 Grey Scale | EN ISO 105-B02 EN 20105-A02 |
| Resistance to cigarette embers | Grade 4, no visible changes to surface | EN 438-2.18 |
| Fire resistance | Ignites with difficulty, at least C _{fl} -s1 | EN 13501-1 |
| Height difference between connected elements | Average: ≤ 0.10 mm max: ≤ 0.15 mm | EN 13329 |
| Edge straightness (bend) | ≤ 0.3 mm/m | EN 13329 |
| Openings between connected elements | Average: ≤ 0.15 mm max: ≤ 0.20 mm | EN 13329 |
| Static indentation | < 0.01 mm - no visible changes, Impression in test with straight steel cylinder of 11.3 mm diameter | EN 433 |

| | | |
|------|------|------|
| 8 mm | 0.13 | 0.06 |
|------|------|------|

| LENGTH | WIDTH | PANELS PER BOX | m ² /BOX | BOXES PER PALLET | m ² / PALLET |
|---------|--------|----------------|---------------------|------------------|-------------------------|
| 1380 mm | 193 mm | 8 | 2.131 | 56 | 119.320 |

GUARANTEE

25 Years (private) & 3 Years (commercial)



www.blauer-engel.de/12176



KRONOTEX

BY SWISS KRONO GROUP

