



MADE IN GERMANY



BY SWISS KRONO GROUP



# ROBUSTO


## LAMINATE FLOORING



[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)



PANEL 1375 x 188 x 12 mm | Box 5 panels |



ABRASION CLASS  
COMMERCIAL 33 / AC

5

Web: [fixitdesign.ae](http://fixitdesign.ae)

Phone: +971554722980

Email: [info@fixitdesign.ae](mailto:info@fixitdesign.ae)





Atlas Oak Coffee - D 3591 ER







Harbour Oak - D 3570 ER







Premium Oak Nature - D 4955 AF





Rip Oak White - D 3181 MX







Timeless Oak - D 3590

ER







Rip Oak - D 3075  
MX





MADE IN  
GERMANY

# ROBUSTO

## LAMINATE FLOORING

TEST	CHARACTERISTICS	TEST METHOD
Formaldehyde emission	< 0.05 ppm	EN 717-1
Surface stain resistance	Grade 5, no visible changes to surface	EN 438-2.15
Lightfastness	≥ Level 6 Blue Wool Scale ≥ Level 4 Grey Scale	EN ISO 105-B02 EN 20105-A02
Resistance to cigarette embers	Grade 4, no visible changes to surface	EN 438-2.18
Fire resistance	Ignites with difficulty, at least C <sub>fl</sub> -s1	EN 13501-1
Height difference between connected elements	Average: ≤ 0.10 mm max: ≤ 0.15 mm	EN 13329
Edge straightness (bend)	≤ 0.3 mm/m	EN 13329
Openings between connected elements	Average: ≤ 0.15 mm max: ≤ 0.20 mm	EN 13329
Static indentation	< 0.01 mm - no visible changes, Impression in test with straight steel cylinder of 11.3 mm diameter	EN 13329
THICKNESS (mm)	THERMAL CONDUCTIVITY (W / (m x K))	OVERALL HEAT TRANSFER COEFFICIENT THERMAL RESISTANCE ((m <sup>2</sup> x K) / W)
12 mm	0.14	0.09

LENGTH (mm)	WIDTH (mm)	PANELS PER BOX	m <sup>2</sup> /BOX	BOXES PER PALLET	m <sup>2</sup> / PALLET
1375 mm	188 mm	5	1.293	56	72.380

### GUARANTEE

25 Years (private) & 3 Years (commercial)



EN 14041



EPD of the EPLF Industry Association



Quality and innovation made in Europe



Member of ISO 9001 services

[www.blauer-engel.de/12176](http://www.blauer-engel.de/12176)



# KRONOTEX

BY SWISS KRONO GROUP



فیکست دیزاین  
**FIXIT DESIGN**  
CARPET AND CURTAINS TRANDING L.L.C