

# Children's Carpets



# Playtime 95




## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m <sup>2</sup>	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m <sup>2</sup>	1.200
Thermal resistance in m <sup>2</sup> C°/W	0,115
Sound absorption	DL <sub>w</sub> = 23 dB
Grading	D <sub>i</sub> -s1 (49/042)
Repeat	L/H: 95 cm BW: 200 cm

## PERFORMANCE

Domestic use, heavy  
Living room, Dining room  
Entrance, Hallway



# Butterfly 57




## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m <sup>2</sup>	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m <sup>2</sup>	1.200
Thermal resistance in m <sup>2</sup> C°/W	0,115
Sound absorption	DL <sub>w</sub> = 23 dB
Grading	D <sub>i</sub> -s1 (49/042)
Repeat	L/H: 95 cm BW: 200 cm

## PERFORMANCE

Domestic use, heavy  
Living room, Dining room  
Entrance, Hallway



# Little Goliath 90




## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m <sup>2</sup>	340
Total thickness in mm	8,5
Pile height in mm	5
Gauge	1/10
Tufts per sqm	197.500
Total weight in g/m <sup>2</sup>	1.220
Thermal resistance in m <sup>2</sup> C°/W	0,120
Sound absorption	DL <sub>w</sub> = 25 dB
Grading	E <sub>fl</sub>
Repeat	L/H: 95 cm BW: 100 cm

## PERFORMANCE

Domestic use, heavy  
Living room, Dining room  
Entrance, Hallway



# Puzzle



67 Pink 4 m



77 Blue 4 m

## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m <sup>2</sup>	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m <sup>2</sup>	1.200
Thermal resistance in m <sup>2</sup> C°/W	0,115
Sound absorption	DL <sub>v</sub> = 23 dB
Grading	D <sub>fl</sub> -s1 (49/042)
Repeat	L/H: 95 cm B/W: 100 cm



84 Tan 4 m

## PERFORMANCE

Domestic use, heavy, Living room, Dining room, Entrance, Hallway

# Alphabet



60 4 m



77 Blue 4 m




84 Tan 4 m

## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Felting
Pile weight g/m <sup>2</sup>	6,5
Total thickness in mm	3
Pile height in mm	1/10
Gauge	
Tufts per sqm	155.000
Total weight in g/m <sup>2</sup>	1.200
Thermal resistance in m <sup>2</sup> C°/W	0,115
Sound absorption	DL <sub>w</sub> = 23 dB
Grading	D <sub>fl</sub> -s1 (49/042)
Repeat	L/H: 95 cm B/W: 100 cm

## PERFORMANCE

Domestic use, heavy, Living room, Dining room, Entrance, Hallway



# Princess Tales



## SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m2	1.200
Thermal resistance in m2C°/W	0,115
Sound absorption	DL <sub>w</sub> = 23 dB
Grading	D <sub>f</sub> -s1 (49/042)
Repeat	L/H: 95 cm BW: 100 cm

## PERFORMANCE

Domestic use, heavy  
Living room, Dining room  
Entrance, Hallway

