

Arts Club



Structured Loop Carpet Tiles 50 X 50 cm

Web: fixitdesign.ae

Phone: +971554722980

Email: info@fixitdesign.ae







Fusion 877 Mozart 577



Elvis 377









Earth 597



Deep Sea 267










Coral 527



Arts Club



Product Specification:

Style : Arts Club

Construction : Loop pile full repeat scroll (FRS) - Tip Sheared

Pile Fiber Composition : 100% Olefin Polypropylene

Yarn Type : BCF

Dye Metho : Solution Dyed

Gauge : 1/2"

Pile Height : 3.00mm / 5.00mm

 $\begin{array}{lll} \text{Pile Weight} & : & 800 \text{g/m}^2 \\ \text{Total Weight} & : & 5065 \text{g/m}^2 \end{array}$

Primary Backing : PES/PA Fleece (Non woven Textile)
Secondary Backing : PVC reinforced by Glass Fiber

Total Thickness : 7.00mm

Number of Tifts : 199080/m² (Approx)

Tile Size : 50 x 50cm
Area of use : Commercial

: 20pcs/carton (5m²)

Performance Specification:

Flammability : ASTM D-2859/FFI-70/16CFR

1630 Pass 8/8

Smoke Density : ASTM E662 Less than 450 Static Prepensity : AATCC - 134 under 3.5KV

Colour Fastness : 5:5 on Gray Scale
Soiling Propensity : AATCC123 Grey Scale 5

Dimensional Stability : DXN 54318 6.20



Ashilar









Saund.

Sound Heat
Insulation Insulation

Anti-static

Colorfast

Wearproof

Antiflammability

Terms and Conditions: Specifications are subject to manufacturing tolerances and maybe changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Messara Trading Standard Terms and Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

Disclaimer: This Brochure is presented for informational purposes only. Every effort is made to ensure that carpet images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product, and between die series. Please note that lineal patterns when installed directional, may produce an undesired effect when lines of the same colour meet of two edges. Installers need to monitor this during installations and reposition tiles where appropriate. Patterns that are random in nature may contain additional colour ways to the ones displayed on the samples. Please consult your commercial sales consultant for further informations.