




MYKONOS

CARPET TILES 50X50CM



#01




#02



#03



#04



#05



#06



#07



#08


MYKONOS

Specification


Style	:	Mykonos
Construction	:	Multi-level loop
Fiber	:	100% Polypropylene
Gauge Stitches	:	1/12"
Pile Weight	:	10 per inch
Average Pile	:	680 gm/m ² (OZ/yd ²)
Height Backing	:	4mm (+0.5mm)
Tile size	:	PVC with fiberglass
Static Propensity	:	50 x 50cm
Flammability	:	<3.5kV (AATCC-134, GB/T18044-2008)
Smoke Density	:	Passes (ASTM E648, GB8624-2006)
	:	Passes (ASTM E662, GB/T8627-1999)

Approved installation


methods:




Monolithic




Quarter-



Brick



Ashlar



Non-directional



Terms and Conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Messara Trading Standard Terms and Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

Disclaimer: This Brochure is presented for informational purposes only. Every effort is made to ensure that carpet images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product, and between dye series. Please note that lineal patterns when installed directional, may produce an undesired effect when lines of the same colour meet at two edges. Installers need to monitor this during installations and reposition tiles where appropriate. Patterns that are random in nature may contain additional colour ways to the ones displayed on the samples. Please consult your commercial sales consultant for further information.