

# SISAL

## EUROPEAN COLLECTION 2020 (on Felt Back)

### & INDOOR BORDERS



# SISAL

Sisal (the name of a Yucatan port in Mexico) is a noble fibre, long and supple, made from the leaves of the Agave Sisalana, a subtropical plant from South America. These fibres are collected by passing the leaves under water and pressing them. They are then washed, dried and spun.

Used since time immemorial for ropes, sisal is now used as a natural floor covering, highly prized for its sure effect in the decoration of the home.

Its natural colour is creamy white, but sisal is the plant fibre that best accepts dyes. It lends itself to the use of intense colour for contemporary harmonies.

Resistant to wear and rubbing, soft to the touch, but not recommended in damp rooms, our sisal floor covering are particularly appropriate for bedrooms, sitting rooms, corridors, stairs, private and professional offices, as well as stores and shops.

To keep its beautiful appearance a long time, sisal needs regular upkeep and careful use (see care instructions)

## LAYING RECOMMENDATIONS

Our natural floor coverings, now available on a felt backing, must be laid according to the rule book.

Before cutting, it is essential to unfold these covering on their future base and leave them to acclimatize for 48 h to allow them to adopt to the hygrometry of the room.

As fibre is a living material, it may register a few variations in measurement. So it is necessary to plan a safety margin.

After following all these precautions of use, stretch this covering across the room so that it extends up the skirting boards, glue half to the base with acrylic paste, starting from the centre of the room towards the edges, pressing firmly down so as to guarantee perfect adherence, proceed in the same way for the other side. To finish, just cut the base along the skirting boards.

## CARE INSTRUCTIONS

These natural floor covering require regular upkeep and careful use. So that they keep their beautiful appearance longer, vacuum regularly, taking care to brush without rubbing. In addition, once or twice a year, depending on the wear, it is advisable to (dry) clean the base thoroughly.

## SISAL RECIFE



Sisal Recife 13



Sisal Recife 14



Sisal Recife 15



Sisal Recife 18



Sisal Recife 15  
Line Boucle LB 17 Sable (Border)



Sisal Recife 18

**RECIFE - Technical Specification**

Pile Material	- 100 % Sisal	Total height	- Approx. 7.6 mm
Backing	- Felt	Manufacturing method	- Woven
Pile Weight	- Approx. 750 g/m <sup>2</sup>	Flammability	- Efl
Total Weight	- Approx. 2400 g/m <sup>2</sup>	Roll Width	- 400 cm

# SISAL NATAL




Sisal Natal 13



Sisal Natal 14



Sisal Natal 15



Sisal Natal 18



Sisal Natal 22



Sisal Natal 13

**NATAL - Technical Specification**

Pile Material	- 100 % Sisal	Total height	- Approx. 8.5 mm
Backing	- Felt	Manufacturing method	- Woven
Pile Weight	- Approx. 750 g/m <sup>2</sup>	Flammability	- Efl
Total Weight	- Approx. 2550 g/m <sup>2</sup>	Roll Width	- 400 cm

# SISAL FORTALEZA



Sisal Fortaleza 13



Sisal Fortaleza 14



Sisal Fortaleza 15



Sisal Fortaleza 18



Sisal Fortaleza 22



فيگست ديزاين

**FIXIT DESIGN**

CARPET AND CURTAINS TRADING L.L.C




### FORTALEZA - Technical Specification

Pile Material	- 100 % Sisal	Total height	- Approx. 6.5 mm
Backing	- Felt	Manufacturing method	- Woven
Pile Weight	- Approx. 700 g/m <sup>2</sup>	Flammability	- Efl
Total Weight	- Approx. 2220 g/m <sup>2</sup>	Roll Width	- 400 cm





Sisal Recife 18



Sisal Recife 14



Sisal Natal 13



Sisal Fortaleza 22